



M. P. Pollution Control Board

E - 5, Paryavaran Parisar, Arera Colony, Bhopal

Phone: (0755) 2464428, 2466191, Fax: (0755) 2463742, Email: it_mppcb@rediffmail.com Web: www.mppcb.nic.in
No. 385 / HOPCB/Admn.-Pur./2016 Bhopal, dt. 20/01/2016
To,

✓ Incharge, IT cell
(For uploading in website)

M/s. As per list enclosed
.....
.....
.....
.....

Sub.: Invitation of Quotation for the supply and installation of Attendance Recording Machine.

Sealed quotations are invited from the reputed manufacturer or authorized dealers / distributors for the supply and installation of Attendance Recording Machine for implementation of Biometric Attendance system of all employees of Head Quarter of the M. P. Pollution Control Board as per following description:

Sl. No.	Description	Qty.
1.	<p>An Integrated device for recording biometric attendance with STQC certified fingerprint sensor meeting following configuration / requirements:</p> <ul style="list-style-type: none">• Display: at least 4 inch display with a minimum of 800X480 pixel resolution, 16M colors.• Processor: 1.0 GHz or above• RAM: 512 MB or above• Hard Key/Soft Key Numeric key pad• Internal Storage: 4 GB or above• Expandable storage through micro SD, minimum 8 GB• USB Ports: Minimum one available USB Port to support application loading / configurations / full functional keyboard• Device must come with connector cables to allow connection of the device to Micro USB and Standard USB Ports.• Internal Speakers• GSM SIM Card Slot• Inbuilt replaceable battery with min. battery back up of 120 minutes.• Charging / operation on AC 100-240 volt range with inbuilt surge protection. <p>Biometric sensor/extractor:</p> <ul style="list-style-type: none">• STQC certified finger print sensor / extractor.• SDK for fingerprint device• The fingerprint scanner should be ergonomically placed to support ease of usage for biometric attendance in standing posture of the users. <p>Connectivity Requirements:</p> <ul style="list-style-type: none">• Mandatory Edge/3G mobile data support• WiFi IEEE 802.11b/g/n or LAN (Ethernet) interface or both.• Strength, safety and operating environment	One



M. P. Pollution Control Board

E – 5, Paryavaran Parisar, Arera Colony, Bhopal

Phone: (0755) 2464428, 2466191, Fax: (0755) 2463742, Email:it_mppcb@rediffmail.com Web:www.mppcb.nic.in

	<ul style="list-style-type: none">• Should be able to withstand 1 m drop test• Operating temp.: 0°C to 55 °C• CE Certification / RoHS certification• SAR values within acceptable range <p>Operating system / software requirements:</p> <ul style="list-style-type: none">• Android 4.0 operating system of above• Sample application to test fingerprint sensor/extractor• Vendor has to provide all necessary technical support for integration of their device drivers with the attendance software .	
--	---	--

TERMS & CONDITIONS :

1. The sealed quotation along with terms & conditions, duly inscribed on the cover as "Quotation for the supply & installation of Attendance Recording Machine" should reach to this office on or before 12.02.2016 by 3.00 pm. The quotation shall be opened on the same day at 4.00 pm.
2. It may be noted that more quoting of lowest rates will not entitle any firm to get the order. All the terms and conditions such as taxes/Vat, validity, guarantee period and transportation charges etc. should be clearly mentioned in the quotations. The quotation should be accompanied with authorized distributorship certificate and technical literature.
3. Payment Terms: 100% payment will be released on supply & installation of the attendance recording machine in good condition. No advance payment will be made. Hence no preference will be given for such advance payment proposals.
4. The quotation should be sent by registered/Speed post /by hand.
5. The rate should be written both in words & figures and there should not be any variations in the same. In case of any variation in the price quoted, the price mentioned in words will be considered as final.
6. The items should be supplied within two-three weeks from the date of issue of confirmed order. Failure to supply within the specified time, the order is liable to be cancelled.
7. You are requested to quote the price of Material as FOR M. P. Pollution Control Board, Bhopal and delivery made in the concerned Section.
8. The Competent Authority reserves the right to cancel any or all quotations without assigning any reasons thereof. Your quotations should be valid for six months from the date of opening of NIQs.
9. Typographical and clerical errors are subject to corrections.
10. In the event of any dispute, the decision of the Competent Authority, M. P. Pollution Control Board shall be final and binding upon both the parties.


k (Dr. Reeta Kori)
Chief Scientific Officer